

Device Tables **Tibbo**

TZone

Card

Card

Test_Tables (SIMULATOR) RUN - TIDE - boot

```

File Edit View Build Debug Tools Window Help
Debug
Files
boot x main global
boot.tbs
device.tbs
main.tbs
tables_web.tbs
HTML Files
index.html (BASK)
tables_api.html (I v)
Browser - Project
Test_Tables (SIMULATOR)
Events
Project
Libraries (2.1.3)
Browser - Project
Browser - File
Watch Output Locals Call St... Break...
F1: C... F2: N... F3: F... F4: N... F5: Run... F6: F7: B... F8: St... F9: T... F10... F11... F12...
F udp_broadcast://204.121.207.222.205.195
RUN
  
```

```

15
16 dim http_server_count as byte
17 for http_server_count=0 to 0
18 sock.name=sock_get("http"
19
20 sock.txbuffer(3)
21 sock.rxbuffer(1)
22 sock.varbuffer(1)
23 sock.redir(PL_REDIR_SOCKET)
24 sys.buffalloc()
25
26 sock.protocol=PL_SOCKET_PROTOCOL
  
```

Output

Uploading
Application file successfully loaded
Debug session started.

Elements Console Sources Network Performance Memory Application

Filter: Hide data URLs XHR JS CSS Img Media Font Doc WS Manifest Other

Only show requests with SameSite issues

Name	Status	Type	Initiator	Size	Time	Waterfall
tables_web.html	200	document	Other	430 B	144 ms	
tables_web.js	304	script	tables_web.html	29 B	2.89 s	
tables_api.html?action=get	200	fetch	tables_web.js:2	311 B	87 ms	
tables_api.html?action=rows&table=TZone	200	fetch	tables_web.js:2	48 B	122 ms	
tables_api.html?action=rows&table=Card	200	fetch	tables_web.js:2	300 KB	1.7 min	

5 requests | 301 KB transferred | 537 KB resources | Finish: 1.8 min | DOMContentLoaded: 3.27 s | Load: 3.36 s

Console: What's New Changes

top

DevTools failed to parse SourceMap: http://192.168.1.166/tables_web.js.map

uncaught (in promise) Error: The message port closed before a response was received at content.js:25

As in the screenshots you previously sent, and I made now, your sample does not comply with the instructions https://docs.tibbo.com/taiko/sock_http_buff. No performance. Question: Why? If you compare with the test results of the code of my application, where I got compliance with the instructions https://docs.tibbo.com/taiko/sock_http_buff and high data request performance (255 KB in 11 seconds), then the question to your code becomes obvious.

Device Tables **Tibbo**

TZone

Card

Card

Test_Tables (SIMULATOR) RUN - TIDE - boot

```

File Edit View Build Debug Tools Window Help
Debug
Files
boot x main global
boot.tbs
device.tbs
main.tbs
tables_web.tbs
HTML Files
index.html (BASK)
tables_api.html (I v)
Browser - Project
Test_Tables (SIMULATOR)
Events
Project
Libraries (2.1.3)
Browser - Project
Browser - File
Watch Output Locals Call St... Break...
F1: C... F2: N... F3: F... F4: N... F5: Run... F6: F7: B... F8: St... F9: T... F10... F11... F12...
F udp_broadcast://204.121.207.222.205.195
RUN
  
```

```

19
20 sock.txbuffer(4)
21 sock.rxbuffer(1)
22 sock.varbuffer(1)
23 sock.redir(PL_REDIR_SOCKET)
24 sys.buffalloc()
25
  
```

Output

Uploading
Application file successfully loaded
Debug session started.
Initial (Before Boot) Free buffer pool
TBL> ---START---
TBL> Number of tables: 2
TBL> Number of fields: 14
TBL>

Elements Console Sources Network Performance Memory Application

Filter: Hide data URLs XHR JS CSS Img Media Font Doc WS Manifest Other

Only show requests with SameSite issues

Name	Status	Type	Initiator	Size	Time	Waterfall
tables_web.html	200	document	Other	430 B	80 ms	
tables_web.js	304	script	tables_web.html	29 B	141 ms	
tables_api.html?action=get	200	fetch	tables_web.js:2	311 B	336 ms	
tables_api.html?action=rows&table=TZone	200	fetch	tables_web.js:2	48 B	108 ms	
tables_api.html?action=rows&table=Card	200	fetch	tables_web.js:2	300 KB	1.9 min	

5 requests | 301 KB transferred | 537 KB resources | Finish: 1.9 min | DOMContentLoaded: 448 ms | Load: 629 ms

Console: What's New Changes

top

DevTools failed to parse SourceMap: http://192.168.1.166/tables_web.js.map